


AUG 21 2006

BACHMAN & LaPOINTE, P.C.
REGISTERED PATENT ATTORNEYS
SPECIALIZING IN INTELLECTUAL PROPERTYSUITE 1201
900 CHAPEL STREET
NEW HAVEN, CONNECTICUT 06510-2802GREGORY P. LAPOINTE
BARRY L. KELMACHYER (ALSO VA BAR)
GEORGE A. CORY (ALSO NY BAR)
WILLIAM B. SLATE (ALSO CA AND DC BARS)
ROSS J. CHRISTIE (ALSO NY BAR)
TIMOTHY J. LUBBECKI (ONLY PA BAR)TELEPHONE (203) 777-6628
FAX (203) 865-0297
(203) 789-0582TELECOPIER COVER LETTERTo: USPTOFrom: William B. SlateFAX #: 571-273-8300Date: August 21, 2006Your Ref.: SN 10/632,046Our Ref.: EH-10718 (02-407)Number of Pages including this sheet: 7Confirmation Copy to Follow: Yes XX No

* Comments:

I hereby certify that this correspondence is being facsimile transmitted this 21st day of August, 2006 to the USPTO, at Fax No. 571-273-8300.


Antoinette Sullo

Please acknowledge receipt of this letter by email, telephone, telefax or telex and advise us if any pages are not readily legible or have not been received.

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. Unauthorized use, disclosure or copying is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately and destroy this transmittal.

BACHMAN & LAPOINTE, P.C.
TELEPHONE: (203) 777-6628
TELEFAX : (203) 865-0297

AUG 21 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

App. No.:	10/632,046	Att'y Docket:	EH-10718 (02-407)
Filing Date:	July 31, 2003	Conf No.:	9981
Inventor(s):	Steven W. Burd	Group Art Unit:	3746
Assignee:	United Technologies Corporation	Examiner:	Charles G. Freay
Title:	COMBUSTOR		

Correspondence Address:
Customer Number 34704

AMENDMENT UNDER 37 C.F.R. 1.111

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Introductory Comments

In response to the Office Action mailed May 19, 2006, for which a response is due on August 19, 2006, please amend the application as follows: